

How can I adjust the space between bars in my ggplot2 graph?

Authored by
stats writer

June 26, 2024

RECOMMENDED CITATION

stats writer (2024). *How can I adjust the space between bars in my ggplot2 graph?*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=153592>

In order to adjust the space between bars in a ggplot2 graph, you can use the "width" argument in the `geom_bar()` function. This argument allows you to specify the width of the bars, which in turn affects the space between them. By adjusting this parameter, you can control the overall appearance of your graph and customize it to your desired spacing. Keep in mind that a smaller width will result in less space between the bars, while a larger width will create more space. Additionally, you can also use the "position" argument to further adjust the placement of the bars within the plot. Overall, by utilizing these features in the ggplot2 package, you can easily adjust the space between bars in your graph to create a visually appealing and informative representation of your data.

Adjust Space Between Bars in ggplot2 (With Examples)

You can use the following methods to adjust the space between bars in ggplot2 bar charts:

Method 1: Adjust Spacing Between Bars in Bar Chart

```
ggplot(df, aes(x=x_variable)) +  
geom_bar(width=.4)
```

The default width between bars is 0.9.

The closer the width is to 1, the closer together the bars will be. The closer the width is to 0, the more spread out the bars will be.

Method 2: Adjust Spacing Between Bars in Clustered Bar Chart

```
ggplot(df, aes(x=x_variable, y=y_variable,  
fill=fill_variable)) +  
geom_bar(width=.5, stat='identity',  
position=position_dodge(.7))
```

The width value controls the spacing between clusters while the position_dodge() value controls the spacing between bars within the same cluster.

The following examples show how to use each method in practice with the following data frame in R:

```
#create data frame
```

```
df <- data.frame(team=c('A', 'A', 'A', 'B', 'B', 'B', 'C', 'C'),  
position=c('G', 'G', 'F', 'G', 'F', 'F', 'F', 'G'),  
points=c(12, 22, 24, 23, 20, 15, 11, 30))
```

```
#view data frame
```

```
df
```

```
team position points
```

```
1 A G 12
```

```
2 A G 22
```

```
3 A F 24
```

```
4 B G 23
```

5 B F 20

6 B F 15

7 C F 11

8 C G 30

Example 1: Adjust Spacing Between Bars in Bar Chart


The following code shows how to create a bar chart to visualize the occurrences of each team using the default width spacing of 0.9:

```
library(ggplot2)
```

```
#create bar plot with default spacing
```

```
ggplot(df, aes(x=team)) +
```

```
geom_bar()
```




And the following code shows how to increase the space between the bars by decreasing the value for the width argument to 0.4:

```
library(ggplot2)
```

```
#create bar plot with increased spacing
```

```
ggplot(df, aes(x=team)) +
```

```
geom_bar(width=.4)
```




Example 2: Adjust Spacing Between Bars in Clustered Bar Chart

The following code shows how to create a clustered bar chart to visualize the total points scored by team and position:

```
library(ggplot2)
```


```
#create clustered bar plot with default spacing  
ggplot(df, aes(x=team, y=points, fill=position)) +  
geom_bar(stat='identity', position='dodge')
```



And the following code shows how to increase both the space between the clustered bars and the space between bars within the same cluster:

```
library(ggplot2)
```

```
#create clustered bar plot with increased spacing  
ggplot(df, aes(x=team, y=points, fill=position)) +  
geom_bar(width=.5, stat='identity',  
position=position_dodge(.7))
```



By decreasing the value for width, we increased the spacing between the clusters.

And by decreasing the value for position_dodge(), we increased the spacing between bars within the same clusters.

Feel free to play around with the values for both of these arguments to make the bar chart appear exactly how you'd like.

The following tutorials explain how to perform other

common tasks in ggplot2:

ARABPSYCHOLOGY.COM