How can I calculate the value of PI in Google Sheets?

Authored by

stats writer

June 30, 2024

Google Sheets is a powerful spreadsheet program that offers various functions and formulas for data manipulation and analysis. It also provides the ability to perform mathematical calculations, including the calculation of PI. To calculate PI in Google Sheets, you can use the built-in function "PI()", which returns the approximate value of PI up to 15 decimal places. Simply enter the function into a cell and press enter to get the result. This feature is useful for various applications, such as geometry, engineering, and statistics. It provides a quick and accurate way to calculate the value of PI without the need for manual calculations, making it a convenient tool for users.

PI

The PI function returns the value of pi to 9 decimal places.

Sample Usage

`PI()`

Syntax

`PI()`

See Also

`TANH`: The TANH function returns the hyperbolic tangent of any real number.

`TAN`: The TAN function returns the tangent of an angle provided in radians.

`SINH`: The SINH function returns the hyperbolic sine of any real number.

`SIN`: The SIN function returns the sine of an angle provided in radians.

`RADIANS`: The RADIANS function converts an angle value in degrees to radians.

`DEGREES`: The DEGREES function converts an angle value in radians to degrees.

`COSH`: The COSH function returns the hyperbolic cosine of any real number.

`COS`: The COS function returns the cosine of an angle provided in radians.

`ATANH`: The ATANH function returns the inverse hyperbolic tangent of a number.

`ATAN2`: The ATAN2 function returns the angle between the x-axis and a line segment from the origin (0,0) to the specified coordinate pair (`x`,`y`), in radians.

`ATAN`: The ATAN function returns the inverse tangent of a value in radians.

`ASINH`: The ASINH function returns the inverse hyperbolic sine of a number.

`ASIN`: The ASIN function returns the inverse sine of a value in radians.

`ACOSH`: The ACOSH function returns the inverse hyperbolic cosine of a number.

`ACOS`: The ACOS function returns the inverse cosine of a value in radians.

Examples