

How can I create a stacked dot plot in R?

Authored by
stats writer

April 24, 2024

RECOMMENDED CITATION

stats writer (2024). *How can I create a stacked dot plot in R?*. PSYCHOLOGICAL SCALES.
Retrieved from <https://scales.arabpsychology.com/?p=138951>

A stacked dot plot is a data visualization method in which dots are used to represent values within categories, and the dots are stacked on top of each other to show the cumulative total. In order to create a stacked dot plot in R, you will need to first import your data set and then use the ggplot2 library to create a graph object. Next, you will need to specify the variables and aesthetics for your plot, including the x and y-axis variables and the grouping variable to create the stacked effect. Finally, you can fine-tune the appearance of your plot by adding labels, titles, and adjusting the color and size of the dots. By following these steps, you can easily create a visually appealing and informative stacked dot plot in R.

Create a Stacked Dot Plot in R

A stacked dot plot is a type of plot that displays frequencies using dots.

There are two methods you can use to create a stacked dot plot in R:

Method 1: The function in base R.

Method 2: The function in ggplot2.

This tutorial provides a brief example of how to use each of these methods to produce a stacked dot plot.


Example 1: Stacked Dot Plot in Base R

The following code shows how to make a basic stacked dot plot in base R:

#create some fake data

```
set.seed(0)
data <- sample(0:20, 100, replace = TRUE)

#create stacked dot plot
stripchart(data, method = "stack")
```




And the following code shows how to customize the stacked dot plot to make it more aesthetically pleasing:

```
#create some fake data
set.seed(0)
data <- sample(0:20, 100, replace = TRUE)
```

#create stacked dot plot

```
stripchart(data, method = "stack", offset = .5, at = 0, pch  
= 19,  
col = "steelblue", main = "Stacked Dot Plot", xlab =  
"Data Values")
```



Example 2: Stacked Dot Plot in ggplot2

The following code shows how to make a basic stacked dot plot in ggplot2:

#load ggplot2

```
library(ggplot2)
```

```
#create some fake data
```


```
set.seed(0)
```

```
data <- data.frame(x = sample(0:20, 100, replace =  
TRUE))
```

```
#create stacked dot plot
```

```
ggplot(data, aes(x = x)) +
```

```
geom_dotplot()
```



And the following code shows how to customize the

stacked dot plot to make it more aesthetically pleasing:

```
#load ggplot2
```

```
library(ggplot2)
```

```
#create some fake data
```

```
set.seed(0)
```

```
data <- data.frame(x = sample(0:20, 100, replace =  
TRUE))
```

```
#create customized stacked dot plot
```


```
ggplot(data, aes(x = x)) +
```

```
geom_dotplot(dotsize = .75, stackratio = 1.2, fill =  
"steelblue") +
```

```
scale_y_continuous(NULL, breaks = NULL) +
```

```
labs(title = "Stacked Dot Plot", x = "Data Values", y = "")
```

Stacked Dot Plot



You can find more R tutorials .