

How can I replace all occurrences of zero with NA in R, and what are some examples of how to do so?

Authored by
stats writer

June 26, 2024

RECOMMENDED CITATION

stats writer (2024). *How can I replace all occurrences of zero with NA in R, and what are some examples of how to do so?*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=154106>

Replacing all occurrences of zero with NA in R is a simple and useful task for data cleaning and analysis. This can be done using the `replace()` function, where the first argument is the data object and the second argument is the value to be replaced. In this case, we would use `replace(data, 0, NA)` to replace all the zeros in the data with NA.

For example, if we have a data frame named "df" with a column named "values" containing some zero values, we can use the following code to replace them with NA:

```
df$values
```

Replace Zero with NA in R (With Examples)

You can use the following methods to replace zero with NA values in R:

Method 1: Replace Zero with NA in All Columns

```
df <- NA
```

Method 2: Replace Zero with NA in One Column

```
df$col1 <- NA
```

Method 3: Replace Zero with NA in Several Specific Columns

```
df[== 0] <- NA
```

The following examples show how to use each method

in practice with the following data frame:

```
#create data frame
```

```
df <- data.frame(player=c('A', 'B', 'C', 'D', 'E'),  
pts=c(17, 12, NA, 9, 25),  
rebs=c(3, 3, NA, NA, 8),  
blocks=c(1, 1, 2, 4, NA))
```

```
#view data frame
```

```
df
```

```
player pts rebs blocks
```

```
1 A 17 3 1
```

```
2 B 12 3 1
```

```
3 C NA NA 2
```

```
4 D 9 NA 4
```

```
5 E 25 8 NA
```

Example 1: Replace Zero with NA in All Columns

The following code shows how to replace zeros with NA values in all columns of a data frame:

```
#replace zero with NA in all columns
```

```
df <- NA
```

```
#view updated data frame  
df
```

```
player pts rebs blocks
```

```
1 A 17 3 1
```

```
2 B 12 3 1
```

```
3 C NA NA 2
```

```
4 D 9 NA 4
```

```
5 E 25 8 NA
```

Notice that the zeros have been replaced with NA values in every column of the data frame.

Example 2: Replace Zero with NA in One Column

The following code shows how to replace zero with NA values in one column of a data frame:

```
#replace zero with NA in 'rebs' column only
```

```
df$rebs <- NA
```

```
#view data frame
```

```
player pts rebs blocks
```

```
1 A 17 3 1
```

```
2 B 12 3 1
```

```
3 C 0 NA 2
```

```
4 D 9 NA 4
5 E 25 8 0
```

Notice that each zero has been replaced with NA in the 'rebs' column while all other columns have remained unchanged.

Example 3: Replace Zero with NA in Several Specific Columns

The following code shows how to replace zero with NA values in several specific columns of a data frame:

```
#replace zero with NA values in 'pts' and 'rebs' columns
only
df == 0] <- NA
```

```
#view data frame
df
```

```
player pts rebs blocks
1 A 17 3 1
2 B 12 3 1
3 C NA NA 2
4 D 9 NA 4
5 E 25 8 0
```

Notice that each zero has been replaced with NA in the 'pts' and 'rebs' columns while the 'blocks' column has remained unchanged.

ARABPSYCHOLOGY.COM