

How can I use the function VARP in Excel?

Authored by
stats writer

June 29, 2024

RECOMMENDED CITATION

stats writer (2024). *How can I use the function VARP in Excel?*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=159240>

VARP is a statistical function in Excel that calculates the variance of a data set. This function can be used to measure the variability or spread of a set of numbers, providing valuable insights into the data. In order to use VARP, simply enter the data range as the argument and the function will return the variance value. It is important to note that VARP uses the entire population in its calculation, making it suitable for larger data sets. By utilizing the VARP function, users can efficiently analyze and compare data sets, making informed decisions based on the variability of the data.

This article describes the formula syntax and usage of the **DVARP** function in Microsoft Excel.

Description

Calculates the variance of a population based on the entire population by using the numbers in a field (column) of records in a list or database that match conditions that you specify.

Syntax

DVARP(database, field, criteria)

The DVARP function syntax has the following arguments:

Database Required. The range of cells that makes up the list or database. A database is a list of related data in which rows of related information are records, and columns of data are fields. The first row of the list contains labels for each column.

Field Required. Indicates which column is used in the function. Enter the column label enclosed between double quotation marks, such as "Age" or "Yield," or a number (without quotation marks) that represents the position of the column within the list: 1 for the first column, 2 for the second column, and so on.

Criteria Required. The range of cells that contains the conditions that you specify. You can use any range for the criteria argument, as long as it includes at least one column label and at least one cell below the column label in which you specify a condition for the column.

Remarks

You can use any range for the criteria argument, as long as it includes at least one column label and at least one cell below the column label for specifying the condition.

For example, if the range G1:G2 contains the column label Income in G1 and the amount \$10,000

in G2, you could define the range as MatchIncome and use that name as the criteria argument in the database functions.

Although the criteria range can be located anywhere on the worksheet, do not place the criteria range below the list. If you add more information to the list, the new information is added to the first row below the list. If the row below the list is not blank, Microsoft Excel cannot add the new information.

Make sure that the criteria range does not overlap the list.

To perform an operation on an entire column in a database, enter a blank line below the column labels in the criteria range.

ARABPSYCHOLOGY.COM