

How to Display Only the Date Using the NOW Function in Excel

Authored by
stats writer

February 14, 2026

RECOMMENDED CITATION

stats writer (2026). *How to Display Only the Date Using the NOW Function in Excel*.
PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=130572>

The Strategic Importance of Temporal Precision in Microsoft Excel

In the expansive domain of **data management** and analytical reporting, **Microsoft Excel** serves as a primary vehicle for organizational efficiency. One of the most frequently utilized features within this environment is the **NOW** function, a dynamic tool designed to capture the exact chronological moment a spreadsheet is accessed or recalculated. By interfacing directly with a user's **system clock**, this function ensures that temporal data remains current, providing a live snapshot of both the date and the time down to the second.

However, the default granularity of the **NOW** function--incorporating hours, minutes, and seconds--is not always conducive to the specific requirements of professional documentation. In many administrative and financial contexts, the inclusion of a timestamp can introduce unnecessary clutter, potentially obscuring the primary information or complicating the aesthetic consistency of a report. Consequently, mastering the techniques required to isolate the date component is essential for any professional seeking to maintain high standards of **data presentation** and clarity.

By refining the output of the **NOW** function, users can achieve a level of **data organization** that is both precise and visually accessible. This process involves a combination of mathematical rounding and strategic **cell formatting**, allowing for the creation of logs and records that are streamlined for human readability. The ability to manipulate these temporal outputs effectively ensures that datasets remain clean, professional, and aligned with the specific operational needs of a business or research project.

Ultimately, the objective is to leverage the power of **Excel** to manage information in a more effective manner. Whether one is tracking project milestones, documenting financial transactions, or maintaining an inventory log, the capacity to display only relevant temporal data is a hallmark of advanced **spreadsheet** proficiency. This guide explores the diverse methodologies available for achieving this, ensuring that users can confidently tailor their data environments to meet any professional standard.

Deconstructing the Mechanics of the NOW Function

To effectively manipulate temporal data in **Excel**, one must first understand the underlying architecture of how the software processes time and dates. In the **Excel** environment, dates and times are not merely text strings; they are stored as **serial numbers**. In this system, integers represent specific days, while the decimal portions of these numbers represent the fractional parts of a day--namely, the hours, minutes, and seconds. This mathematical foundation is what allows **Excel** to perform complex calculations on temporal data with extreme accuracy.

The **NOW** function is categorized as a **volatile function**, meaning it recalculates every time the spreadsheet undergoes a change or is reopened. This volatility ensures that the returned value is

always reflective of the current moment. When a user enters this function, **Excel** retrieves the current serial number from the **operating system**. Because this number includes both the integer (the date) and the decimal (the time), the default display reflects a comprehensive timestamp that some users may find excessive for their specific needs.

Understanding this relationship between integers and decimals is the key to extracting just the date. Since the date is represented by the whole number portion of the serial value, any method that removes or ignores the decimal component will effectively isolate the date from the time. This logic forms the basis for various advanced formulas, including those involving the **INT** function or specific **text formatting** strings, which allow for a customized user experience without sacrificing the dynamic nature of the data.

Furthermore, it is important to note that the **NOW** function does not require any arguments within its parentheses. This simplicity makes it highly accessible, yet its power lies in its integration with other **Excel** functions. By nesting **NOW** within more complex logical structures, users can automate a wide array of date-dependent tasks, from calculating aging reports to triggering deadline notifications based on the current system date.

Utilizing the INT Function to Extract Date Components

The most mathematically elegant solution for returning only the date from a **NOW** output involves the **INT** function. Short for "integer," the **INT** function is designed to round a number down to the nearest whole integer. When applied to the serial number generated by the **NOW** function, **INT** effectively strips away the decimal values that represent time, leaving behind only the integer that represents the current calendar date.

The syntax for this operation is remarkably straightforward and highly efficient. By wrapping the **NOW** function within the **INT** function, a user creates a formula that captures the current moment and immediately discards the time-specific data. This approach is often preferred by power users because it fundamentally changes the value stored in the cell to a pure date integer, which can simplify subsequent calculations and prevent errors that might arise from hidden time values in data comparisons.

Beyond its functional utility, the **INT** method is a prime example of how logical operations can be used to streamline data. By focusing only on the integer component, the spreadsheet avoids the complexities of **time-zone** variances or sub-second tracking that are irrelevant to the task at hand. This results in a cleaner data architecture that is easier to troubleshoot and more reliable for long-term archival purposes, especially when working with large-scale datasets that require high levels of consistency.

While the **INT** function is powerful, it is important to remember that the resulting integer still


requires appropriate **cell formatting** to be human-readable as a date. Without this formatting, the cell may simply display a five-digit number (e.g., 45000). Thus, the integration of logical functions and visual formatting is the dual-track process required for professional-grade **data visualization** within a spreadsheet environment.

Implementation: Use NOW Function to Return Date Only in Excel

To begin the practical application of these concepts, consider a scenario where a user needs to display the current date within a specific cell. By default, typing the following formula into cell **A1** will return a combined date and time stamp, reflecting the exact moment the entry was made:

=NOW()

The following screenshot shows how to use this formula in practice:




As demonstrated, the **NOW** function captures the full temporal context. It is critical to observe that this function is dynamic; if the worksheet is refreshed or modified, the time displayed will update to match the current system clock. Note that the **NOW** function in the example above reflects the specific date and time that this tutorial was originally composed.

To refine this output so that only the date is visible, the user should modify the formula by incorporating the **INT** function. This allows the software to focus exclusively on the date-specific integer of the serial number. We could instead type the following formula into cell **A1** to return only the date:

=INT(NOW())

The following screenshot shows how to use this formula in practice:




Upon initial entry, the result of **INT(NOW())** might still appear as a full timestamp with the time set to 12:00 AM, or even as a raw serial number, depending on the previous formatting of the cell. This occurs because **Excel** attempts to be helpful by guessing the desired format. To achieve the final, clean look, the user must apply a specific date format from the **Excel** interface.


Advanced Formatting Techniques for Date Visibility

Once the mathematical component of the formula is in place, the final step involves adjusting the visual representation of the data. This is achieved through the **Ribbon** interface at the top of the **Excel** application. With cell **A1** selected, the user should navigate to the **Home** tab and locate the **Number** group, which contains tools for modifying how values are displayed without changing the underlying data.

By clicking the **Number Format** dropdown menu, a variety of options will appear, ranging from Currency to Percentage. For the purposes of this task, selecting **Short Date** is the most effective choice. This action instructs **Excel** to ignore any lingering time data (which the **INT** function has already effectively zeroed out) and display the date in a standard MM/DD/YYYY or DD/MM/YYYY format, depending on the user's regional settings.



After this formatting is applied, cell **A1** will now only display the date, providing the clean and professional look required for high-quality reporting. This visual clarity is not just for aesthetics; it prevents confusion for other users who may be interacting with the spreadsheet, ensuring that they focus on the relevant daily data rather than extraneous timestamps.



	A	B	C	D
1	9/18/2023			
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

This multi-step approach--combining logical functions with **GUI**-based formatting--highlights the flexibility of **Excel**. It allows the user to maintain the dynamic, self-updating nature of the **NOW** function while controlling the exact visual output. This technique is particularly useful in dashboards and summary sheets where space is at a premium and every character must serve a clear purpose.

Exploring the TODAY Function as a Direct Alternative

While the **INT(NOW())** method is highly effective and demonstrates a deep understanding of **Excel**'s internal logic, there is an even more efficient way to achieve the same result. The **TODAY** function is specifically designed to return the current date without any time component included in the serial number. For most users, this is the most straightforward solution for displaying a dynamic date.

The syntax for the **TODAY** function is identical in its simplicity to **NOW**, requiring no arguments. By entering the following into a cell, the software automatically provides the current date, formatted appropriately based on the cell's settings:

=TODAY()

The following screenshot shows how to use this formula in practice:

A1		✕ ✓ <i>fx</i>		=TODAY()	
	A	B	C	D	
1	9/18/2023				
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					

The **TODAY** function returns the current date exclusively. It is interesting to observe that the date returned by this function is identical to the date produced by the **INT(NOW())** formula. Both functions are volatile and will update whenever the spreadsheet is recalculated, making them both excellent choices for "live" reports that need to reflect the current calendar day.

Choosing between **TODAY** and **INT(NOW())** often comes down to personal preference or specific technical requirements. If a project requires both the time and the date in different areas, a user might use **NOW** as a base and derive other values from it. However, for a simple date-only display, the **TODAY** function is the industry standard due to its readability and directness. Using the right tool for the specific task is a key aspect of **best practices** in digital productivity.

Optimizing Workflow with Automated Temporal Data

Implementing dynamic date functions is more than just a formatting exercise; it is a foundational step in building **automated workflows**. By using functions like **NOW** and **TODAY**, users can create "set and forget" systems that always display the correct information without the need for manual daily updates. This reduces the risk of **human error** and ensures that data remains reliable over time, which is critical for collaborative environments where multiple stakeholders may access the same file.

Furthermore, these techniques can be expanded upon using **conditional formatting** or logical tests. For example, a project manager could use the **TODAY** function to highlight tasks that are past their deadline by comparing the current date to a "Due Date" column. This level of automation transforms a static spreadsheet into a powerful management tool capable of providing real-time

insights and alerts based on the passage of time.

In conclusion, whether one chooses the mathematical precision of **INT(NOW())** or the streamlined simplicity of **TODAY**, the goal remains the same: to present data in its most useful and clear form. Mastering these functions allows **Excel** users to take full control of their temporal data, leading to better organized, more professional, and highly effective digital assets. The following tutorials explain how to perform other common operations in **Excel** to further enhance your technical repertoire:

ARABPSYCHOLOGY.COM