

How can I use the OR function in Google Sheets?

Authored by
stats writer

June 29, 2024

RECOMMENDED CITATION

stats writer (2024). *How can I use the OR function in Google Sheets?*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=159792>

The OR function in Google Sheets is a logical function that allows users to check if any of the given conditions are met. This function is useful for creating complex formulas and making decisions based on multiple criteria. To use the OR function, simply list the conditions separated by commas within the function's parentheses. The function will return a TRUE value if at least one of the conditions is met, and a FALSE value if none of the conditions are met. This feature can greatly enhance the efficiency and accuracy of data analysis and decision making in Google Sheets.

OR function

The OR function returns true if any of the provided arguments are logically true, and false if all of the provided arguments are logically false.

Sample Usage

```
OR(A2 = "foo", A3 = "bar")
```

```
OR(TRUE, FALSE, TRUE)
```

```
OR(A1:A10, B1:B10)
```

```
OR(0, 1, 2, 3)
```

Syntax

```
OR(logical_expression1, )
```

`logical_expression1` - An expression or reference to a cell containing an expression that represents some logical value, i.e. TRUE or FALSE, or an expression that can be coerced to a logical value.

`logical_expression2, ...` - Additional expressions or references to cells containing expressions representing some logical values, i.e. TRUE or FALSE, or expressions that can be coerced to logical values.

Notes

The number 0 is logically false; all other numbers (including negative numbers) are logically true.

See Also

NOT: Returns the opposite of a logical value - `NOT(TRUE)` returns `FALSE`; `NOT(FALSE)` returns `TRUE`.

AND: The AND function returns true if all of the provided arguments are logically true, and false if any of the provided arguments are logically false.

Examples

Returns **TRUE** if at least one argument is **TRUE**, accepts both `logical_value` and range parameter.

ARABPSYCHOLOGY.COM