

How can I use the `prop.table()` function in R, and what are some examples of its usage?

Authored by
stats writer

July 1, 2024

RECOMMENDED CITATION

stats writer (2024). *How can I use the `prop.table()` function in R, and what are some examples of its usage?*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=165298>

The prop.table() function in R is a tool used to calculate and display the proportion or percentage of values within a table or data frame. It takes in a table or data frame as its input and returns a table with the proportions or percentages of each value in the original table. This function is useful for analyzing and visualizing categorical data, such as survey results, market shares, or demographic information.

To use the prop.table() function, first, the user needs to import or create a table or data frame in R. Then, the function can be applied to the table, specifying the desired margin (row or column) for the calculation. The output will be a new table with the proportions or percentages of each value in the original table.

For example, if a company has a sales table with the number of units sold by each product in different regions, the prop.table() function can be used to calculate the percentage of sales for each product in each region. This can help the company identify the most popular products and the most profitable regions.

In conclusion, the prop.table() function is a useful tool for analyzing and visualizing categorical data in R. It can provide valuable insights and aid in decision-making processes for businesses and researchers.

Use prop.table() Function in R (With Examples)

The prop.table() function in R can be used to calculate the value of each cell in a table as a proportion of all values.

This function uses the following basic syntax:

prop.table(x, margin = NULL)

where:

x: Name of the table
margin: The margin to divide by (1 =

row, 2 = column, default is NULL)

The following examples show how to use this function in practice with the following matrix in R:

```
#create matrix
```

```
x <- matrix(1:6, nrow=2)
```

```
#view matrix
```

```
x
```

```
1 3 5
```

```
2 4 6
```

Example 1: Use prop.table with margin = NULL

The following code shows how to use prop.table() without specifying a margin to divide by:

```
prop.table(x)
```

```
0.04761905 0.1428571 0.2380952
```

```
0.09523810 0.1904762 0.2857143
```

The sum of all of the values in the original table is: 1 + 3 + 5 + 2 + 4 + 6 = 21.

The `prop.table()` function shows each individual value as a proportion of the whole.

For example:

Cell = $1/21 = .0476$ Cell = $3/21 = .1428$ Cell = $5/21 = .2380$
Cell = $2/21 = .0952$ Cell = $4/21 = .1904$ Cell = $6/21 = .2857$

Note that all of the values in the `prop.table()` output add up to 1.

Example 2: Use `prop.table` with `margin = 1`

The following code shows how to use `prop.table()` with `margin=1`, which divides each individual value by the row sums:

```
prop.table(x, margin = 1)
```

```
0.1111111 0.3333333 0.5555556
```

```
0.1666667 0.3333333 0.5000000
```

The sum of all of the values in the first row of the original table is: $1 + 3 + 5 = 9$.

The sum of all of the values in the second row of the

original table is: $2 + 4 + 6 = 12$.

Thus, the output shows each individual value as a proportion of the row sum.

For example:

Cell = $1/9 = .1111$ Cell = $3/9 = .3333$ Cell = $5/9 = .5555$ Cell = $2/12 = .1667$ Cell = $4/12 = .3333$ Cell = $6/12 = .5000$

Note that the values in each row of the prop.table() output add up to 1.

Example 3: Use prop.table with margin = 2

The following code shows how to use prop.table() with margin=2, which divides each individual value by the column sums:

```
prop.table(x, margin = 2)
```

```
0.33333333 0.4285714 0.4545455
```

```
0.6666667 0.5714286 0.5454545
```

The sum of the values in the first column of the original table is: $1 + 2 = 3$.

The sum of the values in the second column of the original table is: $3 + 4 = 7$.

The sum of the values in the third column of the original table is: $5 + 6 = 11$.

Thus, the output shows each individual value as a proportion of the column sum.

For example:

Cell = $1/3 = .3333$ Cell = $2/3 = .6667$ Cell = $3/7 = .4285$ Cell = $4/7 = .5714$ Cell = $5/11 = .4545$ Cell = $6/11 = .5454$

Note that the values in each column of the `prop.table()` output add up to 1.

Additional Resources