

# How to Calculate Square Roots and Cube Roots Easily in Google Sheets

Authored by  
**stats writer**

November 30, 2025

## RECOMMENDED CITATION

stats writer (2025). *How to Calculate Square Roots and Cube Roots Easily in Google Sheets*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=102253>

Mastering mathematical operations within spreadsheet software is fundamental for data analysis and modeling. When working in Google Sheets, calculating roots--specifically the square root and the cube root--is a common requirement. Fortunately, Google Sheets provides robust, built-in functions designed to handle these calculations efficiently. The two primary methods involve using the dedicated SQRT function for square roots, and leveraging the concept of Fractional Exponent through the `POWER` function or the exponentiation operator (^) for higher-order roots like the cube root or the Nth root. Understanding the nuances of each approach is essential for accurate results and scalable spreadsheet design.

The core distinction lies in simplicity versus flexibility. The `SQRT` function is straightforward, requiring only the number as its single argument, making it ideal for standard square root calculations. Conversely, calculating the cube root requires a slightly different approach because Google Sheets lacks a dedicated `CUBERT` function. Instead, we rely on the mathematical principle that taking an Nth root is equivalent to raising a number to the power of  $1/N$ . For example, taking the cube root of a number is the same as raising that number to the power of one-third ( $1/3$ ). This reliance on Exponential syntax, whether through the formal `POWER(base, exponent)` function or the concise caret operator (^), provides maximum flexibility for any root calculation.

This comprehensive guide will detail the specific syntax for both the square root and the cube root, providing clear examples and expanding the knowledge to encompass generalized Nth root calculations, ensuring you can perform any required radical operation within your data sets. It is important to remember that while the dedicated `SQRT` function is generally cleaner for its specific purpose, the exponentiation method is universally applicable across all types of roots.

To quickly calculate the **square root** of a cell value, use the highly optimized built-in function provided by Google Sheets. This function requires the cell reference or numerical value as its sole input:

**`=SQRT(A1)`**

For the **cube root** calculation, since no direct function exists, we use the Fractional Exponent method. This involves raising the base number to the power of one-third:

**`=A1^(1/3)`**

The subsequent sections provide detailed examples illustrating the practical implementation of these two essential formulas within a typical spreadsheet context, demonstrating how to apply them across large data sets efficiently.

## The Mathematics of Roots in Spreadsheets

The concept of calculating a root is central to many fields, from statistics and engineering to finance. Mathematically, finding the root of a number means determining what number, when multiplied by itself a certain number of times, equals the original number. The square root (the second root) is the most common, while the cube root (the third root) is frequently used in volume calculations. Google Sheets is designed to simplify these complex calculations, abstracting the mathematical complexity into user-friendly functions and operators. However, for maximum control and understanding, it is beneficial to grasp the underlying principles, especially the relationship between roots and exponents.

Spreadsheet software utilizes the fundamental property of exponentiation to handle roots beyond the square root. Any Nth Root of a number  $X$  can be expressed as  $X$  raised to the power of  $1/N$ . For instance, the fourth root is calculated by raising the number to the power of  $1/4$ . This mathematical translation allows Google Sheets to use a single, generalized operator--the caret (^)--or the versatile `POWER` function to solve virtually any root problem, ensuring consistency regardless of the root index required. This flexibility is crucial when dealing with varying statistical models or geometric formulas that require high-order roots.

When implementing these formulas, always ensure that your input values are appropriate. For real numbers, the square root function typically only operates on non-negative numbers. Attempting to take the square root of a negative number using `SQRT` will result in a #NUM! error, indicating that the result is not a real number. If you need to calculate the cube root or any odd root of a negative number, the exponential method (^) handles this correctly by returning a negative real number, as odd roots of negative numbers are mathematically permissible.

### Method 1: Calculating the Square Root using the SQRT Function

For the standard square root operation, the most direct and recommended approach in Google Sheets is utilizing the dedicated `SQRT` function. This function is designed specifically for calculating the principal square root of a non-negative number. Its syntax is incredibly simple, requiring only one parameter: the value or cell reference containing the number for which the root should be found. The efficiency and clarity of using `SQRT` make it preferable over the exponentiation method (`A1^(1/2)`) whenever a square root is the sole requirement.

The syntax for the function is explicitly defined as `SQRT(value)`, where the value can be a direct numeric input, the result of another function, or, most commonly, a reference to a cell within your spreadsheet. For example, if the number 25 is in cell A5, the formula `=SQRT(A5)` would immediately return 5. This simplicity contributes significantly to formula auditability and reduces the chance of input errors compared to more complex formulas. Furthermore, using a dedicated

function like this often results in minor performance benefits, although this is usually negligible in typical spreadsheet usage.

It is important to remember that the square root is formally defined as the number that, when multiplied by itself, yields the original number. When calculating the square root of a positive number, there are technically two roots: a positive root (the principal root) and a negative root. The `SQRT` function in Google Sheets, consistent with standard mathematical conventions in computing, always returns the positive, or principal, square root. If you require the negative square root, you must manually apply a minus sign to the result, such as by entering `--SQRT(A1)`.

### Example 1: Practical Application of the Square Root Formula

This example demonstrates the straightforward implementation of the `SQRT` function across a column of numerical data. We assume that a list of numbers requiring square root calculation is provided in Column A, starting from cell A2. Our goal is to populate the corresponding results in Column B, ensuring a clean and efficient batch calculation process. This practical application highlights how easily the formula can be scaled to handle extensive datasets.

As shown in the image below, we begin by targeting the first value in our dataset. We input the formula into the corresponding output cell, B2. This action initiates the calculation for the specific cell A2. The structure ensures that the calculated root is placed immediately adjacent to its source value, maintaining data integrity and readability within the sheet.

	A	B	C	D
B2		$\text{=SQRT}(A2)$		
1	Value	Square Root of Values		
2	1	1		
3	4	2		
4	6	2.449489743		
5	9	3		
6	12	3.464101615		
7	15	3.872983346		
8	25	5		
9	27	5.196152423		
10	64	8		
11				
12				
13				
14				
15				

The formula entered into cell B2 is precisely:

**`=SQRT(A2)`**

Once the formula is correctly entered in B2 and verified, the next crucial step is propagation. We copy and paste this formula down the entire range of cells in column B that correspond to the data in column A. Thanks to Google Sheets' relative referencing system, when the formula is copied from B2 to B3, B4, and so on, the cell reference `A2` automatically adjusts to `A3`, `A4`, etc. This automatic adjustment is what makes spreadsheet calculations so powerful for mass data processing.

## Method 2: Calculating the Cube Root using Exponentiation

Unlike the square root, there is no single, dedicated function (like `CUBERT`) in Google Sheets specifically designed for calculating the cube root. Instead, we rely on the universal mathematical principle that finding the cube root of a number is equivalent to raising that number to the power of one-third. This method uses the standard exponentiation operator (^) or the versatile `POWER` function to achieve the desired result, offering exceptional flexibility that extends far beyond simple cube roots.

To calculate the cube root of a value located in cell A1, the formula utilizes the caret operator (^) to

define the exponent. We express the cube root as a Fractional Exponent, specifically  $(1/3)$ . It is absolutely critical to enclose the fractional exponent  $(1/3)$  within parentheses. If the parentheses are omitted, the formula would calculate A1 raised to the power of 1, and then divide the entire result by 3, which is mathematically incorrect for finding the root. The correct formula structure is essential for proper order of operations.

The generalized structure for calculating the cube root using the exponentiation method is: `Number ^ (1/3)`. Alternatively, you could use the formal `POWER` function, structuring it as `POWER(Number, 1/3)`. While the caret operator (^) is generally more concise and preferred by experienced users for quick input, the `POWER` function offers greater readability in complex nested formulas. Both methods yield mathematically identical results for the cube root, allowing the user to choose based on preference or formula complexity.

## Example 2: Detailed Walkthrough of the Cube Root Formula

This detailed walkthrough provides a visual and textual guide on applying the exponentiation technique to find the cube root of multiple values simultaneously. Assuming our input data--the numbers for which we need to find the cube root--resides in Column A, starting in cell A2, we will calculate the roots and place the results in Column B. This example solidifies the understanding of using fractional powers in a practical spreadsheet environment.

As illustrated in the subsequent screenshot, the process begins in cell B2. We must input the formula that correctly represents raising the value in A2 to the power of one-third. This technique is not only efficient but also mathematically precise, ensuring that the cube root is calculated accurately, even for negative input values which are valid for odd roots.

	A	B	C	D
B2		$=A2^{(1/3)}$		
1	<b>Value</b>	<b>Cube Root of Values</b>		
2	1	1		
3	4	1.587401052		
4	6	1.817120593		
5	9	2.080083823		
6	12	2.289428485		
7	15	2.466212074		
8	25	2.924017738		
9	27	3		
10	64	4		
11				
12				
13				
14				
15				

The exact formula input into cell B2, targeting the value in A2, is:

**$=A2^{(1/3)}$**

After successfully calculating the root for the first cell, the efficiency of Google Sheets is utilized through autofill or copy/paste. By dragging the fill handle down from cell B2, the formula is instantaneously applied to all corresponding rows. The relative reference A2 adjusts automatically down the column (A3, A4, A5, etc.), allowing for rapid calculation across the entire dataset without needing to manually re-type or adjust the formula for each individual cell. This feature makes the calculation of the cube root a matter of seconds, regardless of the list length.

### Generalized Approach: Calculating the Nth Root

The true power of the exponentiation method is its universality, allowing for the calculation of any Nth Root--be it the fourth root, fifth root, or any arbitrary integer root (N). This generalized approach replaces the specific denominator (like 2 for square root or 3 for cube root) with a variable 'N' representing the desired root index. This makes the spreadsheet formula highly flexible and reusable for complex mathematical models that require calculating roots of various degrees.

The generic formula structure for finding the Nth root of a value in cell A2 is simply:

**=A2^(1/n)**

Here, 'n' represents the root index. For instance, if you need to determine the fourth root of a number, 'n' is replaced by 4. If you need the tenth root, 'n' becomes 10. This substitution is what allows the single mathematical principle to solve all radical expressions within the spreadsheet environment. This method ensures that even if Google Sheets were to introduce a dedicated function for the Nth root, the fractional exponent method would remain a reliable and highly compatible alternative, based on established mathematical convention.

For example, to calculate the fourth root of a value, we substitute 4 for 'n' in the generalized formula. This requires raising the base number to the power of one-fourth. This specific example demonstrates the immediate utility of the generalized approach when dealing with requirements beyond the basic square or cube roots that are typically covered by dedicated functions in other software packages. Note that while this method works for even roots, caution must still be exercised regarding negative inputs, as the fourth root of a negative number is undefined in the realm of real numbers.

### Example 3: Calculating the Fourth Root in Practice

To provide a concrete illustration of the generalized Nth root calculation, we will walk through finding the fourth root of several numbers. This reinforces the concept that any root calculation is merely an application of the fractional exponent formula. We aim to calculate the fourth root of the values listed in Column A, placing our results in Column B.

The specific formula used to calculate the fourth root for the value in cell A2 is:

**=A2^(1/4)**

The following screenshot visually confirms the structure of the data and the placement of the formula. Notice how the simplicity of changing only the denominator within the parenthesis instantly transforms the formula from a cube root calculation to a fourth root calculation, demonstrating the inherent scalability of this method across various root indices.

	A	B	C	D
B2		$=A2^{(1/4)}$		
1	<b>Value</b>	<b>Fourth Root of Values</b>		
2	1	1		
3	4	1.414213562		
4	6	1.56508458		
5	9	1.732050808		
6	12	1.861209718		
7	15	1.967989671		
8	25	2.236067977		
9	27	2.279507057		
10	64	2.828427125		
11				
12				
13				
14				
15				
16				

Once the formula is correctly entered into cell B2, the final step involves leveraging the automatic cell referencing feature. By copying the formula down through column B, the spreadsheet automatically updates the cell reference (e.g., A2 changes to A3, A4, and so on), ensuring that every number in the dataset has its corresponding fourth root accurately calculated. This streamlined process eliminates manual entry and significantly reduces the potential for transcription errors, proving the effectiveness of using the generalized fractional exponent method for any Nth root calculation.

## Summary and Best Practices for Root Calculations

Calculating square and cube roots in Google Sheets is highly efficient, provided you select the appropriate method for the task. For finding the **square root**, the `SQRT` function is the clearest and most dedicated tool. However, for the **cube root** or any higher-order Nth root, the exponentiation method using the caret operator (^) and a fractional exponent is the required, versatile technique. Adhering to a few best practices ensures accuracy and maintainability in your spreadsheets.

When dealing with even roots (square root, fourth root, etc.), always verify that your input data is non-negative. If your calculations involve numbers that might fluctuate into negative territory, consider wrapping your input in an `ABS` function if the mathematical context allows, or use an `IF` statement to handle the error gracefully, preventing the disruptive `#NUM!` error from propagating through your sheet. Conversely, remember that odd roots (cube root, fifth root, etc.) can handle

negative numbers naturally, and the exponentiation formula will return a negative real number as expected.

Here is a quick summary of the key methods discussed:

**Square Root:** Use the dedicated function: `=SQRT(Value)`. This is clean and optimized.

**Cube Root:** Use the fractional exponent method: `=Value^(1/3)`. Ensure parentheses are used around the fraction.

**Nth Root (General):** Use the formula: `=Value^(1/N)`, substituting 'N' with the required root index.

By applying these robust formulas, you are equipped to perform all necessary radical calculations within Google Sheets, transforming complex mathematical concepts into easily manageable spreadsheet entries. Always prioritize the use of cell references over hardcoded values in your formulas to maintain dynamic and scalable data analysis.