

How to calculate Gini Coefficient in R (With Example)

Authored by
stats writer

November 29, 2025

RECOMMENDED CITATION

stats writer (2025). *How to calculate Gini Coefficient in R (With Example)*.

PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=101522>

The Gini coefficient can be calculated in R using the `ginicoeff()` function from the `inequality` package. This function takes a vector of values representing the proportions of the population in each income group as its argument. An example of this calculation is to take a vector of income values and divide it into five equal groups. The Gini coefficient can then be calculated by passing this vector into the `ginicoeff()` function. The result will be a value between 0 and 1, with 0 being perfect equality and 1 being perfect inequality.

Named after Italian statistician , the **Gini coefficient** is a way to measure the income distribution of a population.

The value for the Gini coefficient ranges from 0 to 1 where higher values represent greater income inequality and where:

0 represents perfect income equality (everyone has the same income)

1 represents perfect income inequality (one individual has all the income)

You can find a list of Gini coefficients by country .

The following examples show two ways to calculate a Gini coefficient in R by using the **Gini()** function from the **DescTools** package.

Example 1: Calculate Gini Coefficient Using Individual Incomes

Suppose we have the following list of annual incomes for 10 individuals:

Income: \$50k, \$50k, \$70k, \$70k, \$70k, \$90k, \$150k, \$150k, \$150k, \$150k

The following code shows how to use the **Gini()** function to calculate the Gini coefficient for this population:

```
library(DescTools)
```

```
#define vector of incomes
```

```
x <- c(50, 50, 70, 70, 70, 90, 150, 150, 150, 150)
```

```
#calculate Gini coefficient
```

```
Gini(x, unbiased=FALSE)
```

```
0.226
```

The Gini coefficient turns out to be **0.226**.

Note: In a real-world scenario there would be hundreds of thousands of different incomes for individuals in a certain country, but in this example we used 10 individuals as a simple illustration.

Example 2: Calculate Gini Coefficient Using Frequencies

Suppose we have the following frequency table that shows the number of individuals in a certain population with specific incomes:

Income	Frequency
\$10,000	6
\$20,000	7
\$35,000	7
\$55,000	14
\$70,000	22
\$90,000	20
\$110,000	8
\$115,000	4
\$130,000	1

The following code shows how to use the **Gini()** function to calculate the Gini coefficient for this population:

```
library(DescTools)
```

```
#define vector of incomes
```

```
x <- c(10, 20, 25, 55, 70, 90, 110, 115, 130)
```

```
#define vector of frequencies
```

```
n <- c(6, 7, 7, 14, 22, 20, 8, 4, 1)
```

```
#calculate Gini coefficient
```

```
Gini(x, n, unbiased=FALSE)
```

```
0.2632289
```

Note: You can find the complete documentation for the **Gini()** function from the **DescTools** package .

The following tutorials explain how to calculate a Gini coefficient and how to create a Lorenz curve in Excel:

ARABPSYCHOLOGY.COM