

How to Easily Return All Matching Values with VLOOKUP in Excel

Authored by
stats writer

November 30, 2025

RECOMMENDED CITATION

stats writer (2025). *How to Easily Return All Matching Values with VLOOKUP in Excel*. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=102654>

The VLOOKUP function is arguably one of the most foundational and widely used tools within Excel, enabling users to efficiently search for a specific value in a table's leftmost column and retrieve corresponding data from a specified column in the same row. This functionality is indispensable for merging datasets and performing basic lookups. However, a critical limitation arises when dealing with datasets where the lookup value appears multiple times. By design, VLOOKUP is inherently structured to return only the very first match it encounters, ignoring all subsequent occurrences of that value. This constraint often necessitates more sophisticated formulas when comprehensive data retrieval is required, particularly in complex data analysis scenarios where capturing all instances of an item is essential.

Historically, achieving the goal of returning multiple matches required combining several complex functions, typically leveraging the INDEX and MATCH functions, often wrapped within an array formula structure using Ctrl+Shift+Enter. While highly effective, this technique can be intimidating for average Excel users due to the complexity of generating helper columns or managing dynamic array criteria. Fortunately, modern versions of Excel (specifically Microsoft 365 and Excel 2021) have introduced powerful dynamic array functions that streamline this process dramatically. The most efficient tool for this specific task--returning all corresponding matches--is the FILTER function.

This guide will detail the transition from traditional, restrictive lookup methods to the streamlined power of the FILTER function. We will explore why the default behavior of VLOOKUP is inadequate for retrieving multiple results and provide a practical, step-by-step example demonstrating how the modern syntax achieves complete data extraction. Understanding these dynamic array capabilities is crucial for anyone looking to master advanced data handling in modern spreadsheet environments.

Understanding the Limitation of VLOOKUP

As noted earlier, the fundamental nature of the VLOOKUP function inherently limits its output when multiple matches exist. When Excel processes a VLOOKUP request, it begins searching from the top row of the specified table array and proceeds downwards. The moment it finds the first instance of the lookup value in the key column, it stops searching, extracts the corresponding data from the specified column, and terminates the operation. This behavior is efficient for unique identifiers but becomes a significant hurdle when analyzing transactional or categorized data where the same identifier, such as a product name or team designation, may appear dozens of times.

The limitation stems from the function's design as a scalar function--meaning it is optimized to return a single value rather than a spilled range or an array of results. This is often described as a "one-to-one" lookup mechanism. If you are tracking sales data and want to pull all transactions

associated with a particular customer who has made multiple purchases, using standard VLOOKUP will only show you the details of their first purchase. To overcome this limitation historically, users had to resort to cumbersome workarounds, such as creating sequential helper columns to make each instance of the duplicate value unique (e.g., "Rockets-1," "Rockets-2," etc.) before running a slightly modified VLOOKUP.

The inability of VLOOKUP to return all matches has driven many experienced Excel professionals toward the more flexible, albeit complex, combination of the INDEX and MATCH functions. While this method successfully addresses the multiple match problem, it requires a deeper understanding of array operations and is far less intuitive than the newer, single-function solution provided by FILTER, which we will focus on as the superior modern technique.

Introducing the Modern Solution: The FILTER Function

For users operating on modern versions of Excel, the need for convoluted workarounds is obsolete thanks to the introduction of dynamic array functions. The FILTER function is specifically designed to extract records that meet a specified criterion, returning all matching rows or columns automatically into a "spill range." This characteristic makes it the perfect replacement for VLOOKUP when the intent is to return multiple corresponding values.

Unlike standard lookup functions, FILTER processes the entire range and evaluates the condition for every row simultaneously. When a condition evaluates to TRUE, that entire row (or specified column from that row) is included in the output array. This dynamic behavior eliminates the necessity of copying formulas down dozens of rows or managing complex helper columns. The results simply "spill" into adjacent cells, adjusting automatically if the source data or the criteria changes. This represents a significant leap forward in spreadsheet efficiency and clarity.

The core syntax of the FILTER function is remarkably straightforward, requiring only three arguments: the **array** you want to return, the **include** criterion (the condition that must be met), and an optional **if_empty** value. When applying FILTER to replicate a multiple-match VLOOKUP, we typically instruct the function to return a specific column (the data we want) based on a logical test applied to the lookup column (the criteria column).

Syntax Breakdown of the FILTER Function for Multiple Matches

To look up a value in a range and return corresponding values for **all matches**, we utilize the FILTER function. This approach is superior in modern Excel environments. The generic structure for retrieving a single column of results based on a lookup value is shown below, using explicit cell references to define the logic:

By default, the **VLOOKUP** function in Excel looks up some value in a range and returns a

corresponding value *only for the first match*.

However, you can use the following syntax to look up some value in a range and return corresponding values for *all matches*:

=FILTER(C2:C11, E2=A2:A11)

Let's break down how this specific formula operates within the context of data analysis. The first argument, **C2:C11**, specifies the **array** that contains the values we want to retrieve and return--this acts as the lookup result column, similar to the column index number in a VLOOKUP. The second argument, **E2=A2:A11**, is the critical **include** criterion. This logical test compares the single lookup value stored in cell **E2** against every value in the entire range **A2:A11** (the lookup column). This comparison generates a dynamic array of TRUE/FALSE values.

This particular formula looks in the range **C2:C11** and returns the corresponding values in the range **A2:A11** for *all rows* where the value in **A2:A11** is equal to **E2**.

The FILTER function then aligns this TRUE/FALSE array with the result **array** (C2:C11). For every position where the condition is TRUE (i.e., the value in A2:A11 matches E2), the corresponding value from C2:C11 is extracted and returned. This process automatically generates a vertically spilled list of all corresponding matches that satisfy the criteria. This powerful and concise methodology completely replaces the need for complex, legacy INDEX/MATCH combinations.

Practical Example: Setting Up the Dataset

The following example shows how to use this syntax in practice.

To illustrate the stark difference between the traditional single-match VLOOKUP behavior and the multi-match capability of FILTER, let us work with a realistic sample dataset. Suppose we are tracking data for various basketball teams, and our goal is to extract all the points scored by a specific team name, which appears multiple times in the list.

Example: Use VLOOKUP to Return All Matches

Suppose we have the following dataset in Excel that shows information about various basketball teams:

	A	B	C	D	E	F
1	Team	Rebounds	Points			
2	Mavericks	12	22			
3	Pacers	14	25			
4	Pacers	8	24			
5	Hornets	7	24			
6	Rockets	11	25			
7	Pacers	19	19			
8	Rockets	15	15			
9	Nets	14	24			
10	Rockets	10	30			
11	Hornets	12	34			
12						
13						
14						
15						
16						
17						
18						
19						

Our dataset contains three columns: Team, Win/Loss Record, and Points. Crucially, the team "Rockets" appears three different times in the list, representing three distinct games or records. Our objective is to pull all three associated point totals using a single, dynamic formula. In this structure, Column A holds the team names (our lookup column), and Column C holds the points (our result column). We will use cell **E2** for referencing our lookup criteria, "Rockets."

Demonstration: Why Standard VLOOKUP Fails to Return All Results

Before implementing the superior FILTER approach, it is important to first understand exactly why the standard VLOOKUP function proves insufficient for this task. We will attempt to use VLOOKUP to search for the team "Rockets" (stored in cell **E2**) and return the corresponding points value from the third column (Column C) of our data array.

Suppose we use the following formula with **VLOOKUP** to look up the team "Rockets" in column A and return the corresponding points value in column C:

=VLOOKUP(E2, A2:C11, 3, FALSE)

When this formula is executed, Excel searches the range A2:A11 for "Rockets." It quickly finds the first match in row 2 and immediately returns the value from the third column in that same row,

which is 110. It does not continue searching the rest of the list, demonstrating its fundamental constraint.

The following screenshot shows how to use this formula in practice:

	A	B	C	D	E	F
1	Team	Rebounds	Points		Team	Points
2	Mavericks	12	22		Rockets	25
3	Pacers	14	25			
4	Pacers	8	24			
5	Hornets	7	24			
6	Rockets	11	25			
7	Pacers	19	19			
8	Rockets	15	15			
9	Nets	14	24			
10	Rockets	10	30			
11	Hornets	12	34			
12						
13						
14						
15						
16						
17						
18						

The **VLOOKUP** function returns the value in the "Points" column for the first occurrence of Rockets in the "Team" column, but it fails to return the points values for the other two rows that also contain Rockets in the "Team" column.

This result confirms that for datasets containing repeated identifiers, **VLOOKUP** is inadequate for comprehensive data extraction. We need a function capable of handling **array** outputs and evaluating the entire criteria range simultaneously--a role perfectly suited for the [FILTER](#) function.

Implementing the [FILTER](#) Formula for Comprehensive Results

To return the points values for all rows that contain Rockets in the "Team" column, we can use the **FILTER** function instead.

To overcome the demonstrated deficiency of [VLOOKUP](#) and retrieve the full set of points associated with the "Rockets" team, we must switch to the dynamic [FILTER](#) function. This function

allows us to define the column we want to return (the points) and the logical condition that must be met in the lookup column (where the team name equals "Rockets").

Here's the exact formula we can use:

=FILTER(C2:C11, E2=A2:A11)

By entering this formula into a single cell, Excel performs the filtering operation dynamically. It compares the lookup value in **E2** against the entire range **A2:A11**. For every match found, the corresponding point total from the range **C2:C11** is extracted, and these multiple results are automatically placed, or "spilled," into adjacent cells below the formula entry point.

The following screenshot shows how to use this formula in practice:

	A	B	C	D	E	F	G
1	Team	Rebounds	Points		Team	Points	
2	Mavericks	12	22		Rockets	25	
3	Pacers	14	25			15	
4	Pacers	8	24			30	
5	Hornets	7	24				
6	Rockets	11	25				
7	Pacers	19	19				
8	Rockets	15	15				
9	Nets	14	24				
10	Rockets	10	30				
11	Hornets	12	34				
12							
13							
14							
15							
16							
17							

Notice that the **FILTER** function returns all three points values for the three rows where the "Team" column contains Rockets.

Analyzing the Benefits of Using FILTER for Lookups

The successful implementation of the FILTER function fundamentally changes how lookups involving multiple criteria or multiple results are handled in Excel. The key advantages over legacy

solutions like VLOOKUP or even INDEX/MATCH array formulas center on flexibility, simplicity, and dynamic responsiveness.

Firstly, the **dynamic spilling** capability of FILTER means that the output range automatically adjusts based on the number of matches found. If a team suddenly has four results in the dataset, the output array will instantly grow to four cells; conversely, if only one result exists, it shrinks to one cell. This automation eliminates manual error checking and range resizing, which are common issues with traditional array formulas. Secondly, the syntax is significantly cleaner and easier to read, requiring only a single line of logic to achieve complex filtering. This improves formula auditing and maintenance across large spreadsheets.

Furthermore, FILTER is not limited to returning only one column. If we had needed to return both the "Win/Loss Record" and the "Points" columns for all matching "Rockets" entries, we could simply modify the initial **array** argument to **B2:C11**. The function would then spill two columns of data, providing a complete filtered sub-table based on the lookup criteria. This demonstrates its powerful versatility beyond the constraints of a standard VLOOKUP.

	A	B	C	D	E	F
1	Team	Rebounds	Points		Team	Points
2	Mavericks	12	22		Rockets	25
3	Pacers	14	25			15
4	Pacers	8	24			30
5	Hornets	7	24			
6	Rockets	11	25			
7	Pacers	19	19			
8	Rockets	15	15			
9	Nets	14	24			
10	Rockets	10	30			
11	Hornets	12	34			
12						
13						
14						
15						
16						
17						
18						
19						

Conclusion and Key Takeaways

While the VLOOKUP function remains valuable for simple, single-match lookups, it is fundamentally limited when encountering duplicate records in the source data. When your goal is

to retrieve **all** corresponding entries for a given criterion, the dynamic FILTER function provides the definitive modern solution in Excel. It is concise, powerful, and dynamically self-adjusting.

By shifting your methodology from iterative, single-value lookups (like VLOOKUP) to declarative, criteria-based filtering (using FILTER), you can drastically simplify complex data extraction tasks. The introduction of dynamic array functions represents a paradigm shift in spreadsheet management, enabling users to perform sophisticated queries that previously required advanced, multi-function array formulas or even VBA programming. Mastering **FILTER** ensures that you leverage the full potential of modern Excel capabilities for comprehensive data analysis and reporting.

For those still relying on older versions of Excel that do not support the FILTER function, the traditional combination of **INDEX** and a conditional **MATCH** function remains the necessary workaround, though it involves considerably more complexity and requires manual resizing or dynamic naming conventions to handle the variable number of matches.