

How to Easily Interpret Your Z-Score

Authored by
stats writer

December 5, 2025

RECOMMENDED CITATION

stats writer (2025). *How to Easily Interpret Your Z-Score*. PSYCHOLOGICAL SCALES.
Retrieved from <https://scales.arabpsychology.com/?p=105625>

A good Z-score is a numerical value that indicates how a person's score compares to the scores of other people in a group. A Z-score above 1.0 is generally considered to be a good score, as it is higher than the average score for that group. Z-scores can be used to compare scores from different tests or to track a person's performance over time.

A **z-score** tells us how many standard deviations away a value is from the mean. We use the following formula to calculate a z-score:

$$\text{Z-Score} = (x - \mu) / \sigma$$

where:

x: A raw data value

μ : The mean of the dataset

σ : The standard deviation of the dataset

For example:

If a value has a z-score equal to 0, then the value is equal to the mean.

If a value has a z-score equal to -1.3, then the value is 1.3 standard deviations below the mean.

If a value has a z-score equal to 2.2, then the value is 2.2 standard deviations above the mean.

One question that students often have is: ***What is a good z-score?***

The answer: **A z-score simply tells us how many standard deviations a given value is from the mean, so it can't be "good" or "bad."**

However, we can determine what percentage of values fall below a certain z-score in a distribution by using a , which gives us an idea of where a certain value lies relative to all other values in the distribution.

For example, suppose the score that Mike receives on an exam has a z-score of -1.22. We can locate the value of -1.22 in the z table:

z	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451

We find that the value in the z table is **0.1112**. This means that Mike only scored higher than 11.12% of all students who took the exam.

In this scenario, a z-score of -1.22 might be considered "bad" since Mike only scored higher than a small percentage of students.

Conversely, suppose the score that Tom receives has a z-score of 1.43. We can locate this value in the z table as well:

z	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857

We find that the value in the z table is **0.9236**. This means that Mike scored higher than 92.36% of students who took the exam.

In this scenario, a z-score of 1.43 might be considered "good" since Mike scored higher than so many other students.

How to Classify "Good" Z-Scores

To determine whether or not a certain z-score is "good" depends largely on the situation.

For example, when measuring exam scores of students, one university may consider a z-score that corresponds to the 80th percentile or higher as "good."

According to the , the z-score that corresponds to the 80th percentile is **0.8416**. Thus, any student who receives a z-score greater than or equal to 0.8416 would be considered a "good" z-score.

However, suppose another university considers a z-score that corresponds to the 90th percentile or higher as "good."

According to the , the z-score that corresponds to the 90th percentile is **1.2816**. Thus, any student who receives a z-score greater than or equal to 1.2816 would be considered a "good" z-score.

The decision of what is a "good" or "bad" z-score is subjective, but we can always make the following statements:

A z-score equal to zero represents a value equal to the mean.

A z-score greater than zero represents a value greater than the mean.

A z-score less than zero represents a value less than the mean.

It's helpful to convert a z-score to a percentile to determine what percentage of values the value is greater than in a distribution.

It's up to an individual company, association, school, etc. to determine whether a "good" z-score should be one that represents the 70th, 80th, 90th, 95th percentile, etc.

ARABPSYCHOLOGY.COM