

“Why am I receiving the error message ‘missing value where true/false needed’ when using ‘Fix’ in R?”

Authored by
stats writer

May 2, 2024

RECOMMENDED CITATION

stats writer (2024). “Why am I receiving the error message ‘missing value where true/false needed’ when using ‘Fix’ in R?”. PSYCHOLOGICAL SCALES. Retrieved from <https://scales.arabpsychology.com/?p=142007>

The error message "missing value where true/false needed" in R typically occurs when the 'Fix' function is used and the data being operated on contains missing values. This means that the function is expecting a logical value (true or false) but instead encounters a missing value, causing the error. In order to resolve this error, the missing values must be properly handled or removed from the data before using the 'Fix' function.

Fix in R: missing value where true/false needed

One error you may encounter in R is:

Error in if (x == NA) { : missing value where TRUE/FALSE needed

This error occurs when you compare some value to NA in an if statement in R using the syntax `x == NA`.

An if statement expects either a TRUE or FALSE value, so you need to use `is.na(x)` instead because this function always returns TRUE or FALSE.

How to Reproduce the Error

Suppose we attempt to loop through a list of values in a vector in R and print the word "missing" each time there is an NA value in the vector:

#define vector with some missing values

`x <- c(2, NA, 5, 6, NA, 15, 19)`

#loop through vector and print "missing" each time an NA value is encountered

```
for(i in 1:length(x)) {
```

```
  if (x == NA) {
```

```
    print('Missing')
```

```
  }
```

```
}
```

Error in if (x == NA) { : missing value where TRUE/FALSE needed

We receive an error because we used the syntax x == NA.

How to Fix the Error

We need to change the syntax to is.na(x) as follows:

#define vector with some missing values

```
x <- c(2, NA, 5, 6, NA, 15, 19)
```

#loop through vector and print "missing" each time an NA value is encountered

```
for(i in 1:length(x)) {
```

```
if (is.na(x)) {  
  print('Missing')  
}  
}
```

"Missing"

"Missing"

Notice that we don't receive an error and we're able to print the word "missing" each time we encounter an NA value in the vector.

The following tutorials explain how to fix other common errors in R: